



TO 0300

Docket No. Q055

Patent Application

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Movahed

Serial No.: 10/057,202

Filed: 01/23/2002

For: METHOD AND APPARATUS TO
REMOVE SUBSTANCES FROM
VESSELS OF THE HEART AND
OTHER PARTS OF THE BODY TO
MINIMIZE OR AVOID RENAL OR
OTHER HARM OR DYSFUNCTION

Examiner: Unassigned

Group Art Unit: 3736

**RESPONSE TO NOTICE TO FILE
CORRECTED APPLICATION PAPERS**

Commissioner for Patents
Washington, DC 20231

Dear Sir:

In response to the Notice to File Corrected Application Papers dated March 6, 2002,
Applicant hereby encloses the following:

- (1) Ten (10) sheets of substitute drawings in compliance with 37 CFR 1.84;
- (2) A copy of the Notice to File Corrected Application Papers.

The Commissioner is hereby authorized to charge and credit Deposit Account No. 01-
1960 for any additional fee required or overpayment.

I hereby certify that this correspondence is being
deposited with the United States Postal Service as
first class mail in an envelope addressed to:
Commissioner for Patents, Washington, DC
20231 on

Mar. 15, 2002

By Nancy V. McElrath

Nancy V. McElrath 3-15-02
Signature Date

Respectfully submitted,

David E. Allred
David E. Allred
Registration No. 47,254
MYERS, DAWES & ANDRAS LLP
19900 MacArthur Blvd., Suite 1150
Irvine, CA 92612
Tel: (949) 223-9600
Fax: (949) 223-9610



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/057,202	01/23/2002	M. Reza Movahed	Q055

CONFIRMATION NO. 8365

FORMALITIES LETTER



OC000000007574252

David E. Allred
Myers, Dawes & Andras LLP
Ste. 1150
19900 MacArthur Blvd.
Irvine, CA 92612



Date Mailed: 03/06/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE